

Product Name: 4P fuse box

Connection mode: 4 in and 4 out



Theme material: Nylon


Contact terminal: brass

Load current: Max. 30A



Suitable for: medium car fuses

Standard: ROHS


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM TOLERANCE DECIMALS    ANGULAR X± 0.5       ± 2° XX± 0.25 DO NOT SCALE DRAWING		CUSTOMER NO.	DONGGUAN TIANRUI ELECTRONIC CO., LTD.
		DRAWN BY	TITLE
 		CHECKED BY	<b>fuse holder</b>
		APPROVED BY	
P/N		DATE	PART NO. <b>TR-04</b>
REV	<b>B</b>	SCALE	DRAWING NO.





Product Name: 6P fuse box  
 Connection mode: 6 in and 6 out  
 Theme material: Nylon  
 Contact terminal: brass  
 Load current: Max. 30A  
 Suitable for: medium car fuses  
 Standard: ROHS



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM TOLERANCE DECIMALS    ANGULAR X± 0.5       ± 2° XX± 0.25 DO NOT SCALE DRAWING		CUSTOMER NO.	DONGGUAN TIANRUI ELECTRONIC CO., LTD.
		DRAWN BY	TITLE
 		CHECKED BY	<b>fuse holder</b>
		APPROVED BY	
P/N		DATE	PART NO. <b>TR-06</b>
REV	<b>B</b>	SCALE	DRAWING NO.







Product Name: 8P fuse box  
 Connection mode: 8 in and 8 out  
 Theme material: Nylon  
 Contact terminal: brass  
 Load current: Max. 30A  
 Suitable for: medium car fuses  
 Standard: ROHS



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM TOLERANCE DECIMALS    ANGULAR $X \pm 0.5$ $\pm 2'$ $XX \pm 0.25$ DO NOT SCALE DRAWING		CUSTOMER NO.	DONGGUAN TIANRUI ELECTRONIC CO., LTD.
		DRAWN BY	TITLE
 		CHECKED BY	<b>fuse holder</b>
		APPROVED BY	
P/N		DATE	PART NO. <b>TR-08</b>
REV	<b>B</b>	SCALE	DRAWING NO.





Product Name: 10P fuse box  
 Connection mode: 10 in and 10 out  
 Theme material: Nylon  
 Contact terminal: brass  
 Load current: Max. 30A  
 Suitable for: medium car fuses  
 Standard: ROHS

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM TOLERANCE DECIMALS    ANGULAR X± 0.5       ± 2° XX± 0.25 DO NOT SCALE DRAWING		CUSTOMER NO.	DONGGUAN TIANRUI ELECTRONIC CO., LTD.
		DRAWN BY	TITLE
 		CHECKED BY	<h1>fuse holder</h1>
		APPROVED BY	
P/N		DATE	PART NO.        TR-10
REV	<b>B</b>	SCALE	DRAWING NO.





Product Name: 12P fuse box  
 Connection mode: 12 in and 12 out  
 Theme material: Nylon  
 Contact terminal: brass  
 Load current: Max. 30A  
 Suitable for: medium car fuses  
 Standard: ROHS

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM TOLERANCE DECIMALS    ANGULAR $X \pm 0.5$ $\pm 2'$ $XX \pm 0.25$ DO NOT SCALE DRAWING		CUSTOMER NO.	DONGGUAN TIANRUI ELECTRONIC CO., LTD.
		DRAWN BY	TITLE
 		CHECKED BY	<h1>fuse holder</h1>
		APPROVED BY	
P/N		DATE	PART NO.        TR-12
REV	<b>B</b>	SCALE	DRAWING NO.